

# **PRADIA**<sup>™</sup>

# EPA Registration Number: 71512-33-59807

# 1. IDENTIFICATION

# Product identifier

Trade name. . . . . . . . . . . . . Pradia™

EPA Registration No. . . . : 71512-33-59807

- Chemical Name .....: Cyclaniliprole; 3-bromo-N-[2-bromo-4-chloro-6-[[(1-cyclopropylethyl) amino] carbonyl]phenyl]-1-(3-chloro-2-pyridinyl)-1Hpyrazole-5-carboxamide and Flonicamid; N-(cyanomethyl)-4-(trifluoromethyl)-3-pyridinecarboxamide
- **Chemical Family** .....: Anthranilic diamide; pyrazolylphenyl and pyridine mixture

Recommended use .....: Agricultural industry: Insecticide

### Details of the supplier of the safety data sheet

Company information . . . .: OHP, Inc. PO Box 746 Bluffton, SC 29910-0746

**Phone Number** .....: (800) 659-6745

**Emergency telephone numbers** 

TRANSPORTATION EMERGENCY

(24 hours a day) call ....: Chemtrec: 1-800-424-9300

MEDICAL EMERGENCY (24 hours a day) and Product Information call ..... 1-800-356-4647

### Product Information and

SDS Information call . . . . . : 1-800-356-4647 or see ohp.com

# 2. HAZARDS IDENTIFICATION\*

### Hazard Classification

Hazard Symbols

Flammable liquid (Category 4) Acute aquatic toxicity (Category 1) Chronic aquatic toxicity (Category 2)

Signal Word ..... WARNING

**Hazard Statements** .....: Combustible liquid. Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.

Precautionary Statements .: Keep away from flames and hot surfaces. No smoking. Wear protective gloves and eye or face protection. In case of fire, use water spray, fog or foam to extinguish. Store in a well-ventilated place. Keep cool. Avoid release to the environment. Collect spillage. Dispose of contents and container in accordance with the product label.

\* According to OSHA criteria. For FIFRA criteria, see section 15

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

COMPOSITION / INFORMATION ON INGREDIENTS			
Chemical Name:	CAS #:	% by Weight:	TLV/PEL:
Cyclaniliprole	1031756-98-5	4.46	Not established
Flonicamid	158062-67-0	5.96	Not established

# 4. FIRST-AID MEASURES

- **Ingestion**....: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything to an unconscious person.
- Skin Contact..... Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
- **Eye Contact** .....: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
- **Inhalation** ..... Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouthto-mouth, if possible. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

# 5. FIRE-FIGHTING MEASURES

### **Extinguishing Media**

**SMALL FIRE**..... Use water spray, dry chemicals, foam or carbon dioxide.

LARGE FIRE..... Use water spray, fog or foam. DO NOT use water jet.

#### Unusual Fire and Explosion

**Hazards**.....: May decompose under fire conditions emitting gases and vapors such as hydrogen bromide, nitrous vapors, chlorine vapors, carbon monoxide and carbon dioxide which may be



# **PRADIA**<sup>TM</sup>

# EPA Registration Number: 71512-33-59807

toxic and irritating to the respiratory tract.

**Fire Fighting Instructions**..: Wear full firefighting turnout gear and self-contained breathing apparatus.

### 6. ACCIDENTAL RELEASE MEASURES

**Precautionary Measures**...: Use protective equipment and engineering controls identified in section 8 of this document.

### **Containment and**

**Clean-Up**....: Contain spill. Absorb with an inert material and put the spilled material in an appropriate waste disposal container. Wash spillage area with water. Do not allow wash water to enter drains or surface waters.

# 7. HANDLING AND STORAGE

**Precautions** .....: Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

**Storage**.....: Store in original container, in a secured, dry and cool place separate from fertilizer, food, and feed. Avoid cross-contamination with other pesticides.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

The recommendations in this section for exposure controls and Personal Protection are intended for industrial settings (such as formulation or packaging facilities) or for other non-application situations.

For additional information, refer to the precautions/warnings on the product label. Always follow the label instructions when handling and using this product.

Exposure Limits. . . . . . . . Not established.

**Engineering Controls** ....: Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. Ensure that eyewash stations and safety showers are near work areas.

### **Personal Protection**

**Ingestion**....: Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

Eye Contact .....: Where eye contact is pos-

sible, use protective eyewear (such as chemical splash goggles or a face shield).

- Skin Contact. ..... Where contact is likely, wear waterproof gloves, long-sleeved shirt and long pants, socks and chemical-resistant footwear.
- Inhalation ..... A respirator is not normaly required when handling sealed containers. Use effective engineering controls to comply with facility occupational exposure limits. In case of emergency spills, use a NIOSH-approved respirator with an organic vapor (OV) filter and any N, R, P, or HE prefilter.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical Appearance: Brown liquid
Odor Chemical odor
<b>pH</b>
Boiling Point Not available
Melting Point Not available
Freezing Point Not applicable
Flash Point
Evaporation Rate Not available
Flammability Combustible
Flammable Limits Not available
Vapor Pressure Not available
Vapor Density Not available
Density 1.12 g/mL @ 20°C
Solubility Not available
N-Octanol/Water Not available
Auto-Ignition Temperature
Decomposition Temperature
Volatility Not available

# **10. STABILITY AND REACTIVITY**

 Reactivity
 No evidence of reactivity.

 Stability
 This product remains stable at 20°C over 24 months.

# Possibility of Hazardous

Reactions ..... None known.

Conditions to Avoid .....: Extremes of temperature.



# **PRADIA**<sup>™</sup>

# EPA Registration Number: 71512-33-59807

Incompatible Materials . . . .: Strong oxidizing agents, strong acids or bases.

### Hazardous Decomposition

**Products**.....: Hydrogen bromide, nitrous vapors, chlorine vapors, carbon monoxide and carbon dioxide.

# **11. TOXICOLOGICAL INFORMATION**

### Acute Toxicity:

Acute oral toxicity  $(LD_{50})$ ...: >2000 mg/kg [Rat].

Acute dermal

toxicity (LD<sub>50</sub>)..... >2000 mg/kg [Rat].

Acute inhalation

- toxicity (LC<sub>50</sub>)..... >5.03 mg/L [actual airborne concentration]; >12.4 mg/L (nominal) 4 hour(s) [Rat].
- **Skin Irritation** .....: Non-irritating. Primary dermal irritation index = 0.0 [Rabbit]
- **Eye Irritation**..... Minimally irritating. Slight redness and chemosis were observed immediately after installation to test animals. Significant discharge was also observed. All effects reversed within 24 hours without irrigation. [Rabbit]

Sensitization .....: Not a contact sensitizer.

Mutagenicity. ..... No evidence of mutagenicity.

- **Carcinogenicity** .....: No adverse effects were seen in mice ingesting cyclaniliprole in a 78-week feeding study. Dietary exposure to rats over two years showed thyroid effect in males ingesting over 6000 ppm but no carcinogenic effects in males or females at up to 20,000 ppm. Tests with flonicamid provided insufficient evidence of carcinogenic potential to humans.
- **Reproductive Toxicity**....: Animal studies show no significant evidence of reproductive toxicity at doses of cyclaniliprole or flonicamid up to 20,000 ppm.
- Target Organ Effects.....: 90-day feeding studies with cyclaniliprole showed increased liver, heart and ovary weights in female rats exposed to extreme doses of 20,000 ppm but such effects were not observed in a follow-up 1-year feeding study. Increased liver weights were observed in dogs fed over 1000 ppm but did not meet GHS guidelines for hazard classification. No effects were observed in studies with flonicamid.

Aspiration. . . . . . . . . . . . No data available.

# **12. ECOLOGICAL INFORMATION**

### Summary of Effects:

Very toxic to aquatic life. Toxic to aquatic life with long lasting effects. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with local or regional permits.

Ecotoxicity Data. . . . . . . : Fish (Rainbow Trout) 96hour LC<sub>50</sub> = 361 mg/L [16.6 mg a.i./L]

Fish (Carp) 96-hour  $LC_{50} = 876 \text{ mg/L} [36.2 \text{ mg a.i./L}]$ 

- Invertebrate (Daphnia magna) 48-hour  $EC_{50}$  = 2.36 mg/L [0.0679 mg a.i./L]
- Algae (Pseudokirchneriella subcapitata) 96-hour  $E_rC_{50} > 1000 \text{ mg/L} [> 48.3 \text{ mg a.i./L}]$
- Mysid shrimp (Americamysis bahia) 96-hour  $LC_{50} > 0.2 \text{ mg a.i./L}$

Oyster (Crassostrea virginica) EC<sub>50</sub> = 23 µg a.i./L

Bobwhite Quail Acute LD<sub>50</sub> > 2000 mg/kg body weight (practically non-toxic)

- Mallard Duck Acute LD<sub>50</sub> = 1591 mg/kg (females), 2621 mg/kg (males)
- Sub-Acute Dietary Bird  $\mbox{LD}_{50}$  > 5000 ppm in diet for both Quail and Mallard

# Persistence /

**Degradability** .....: Cyclaniliprole degrades very slowly in soil under both aerobic and anaerobic conditions (aerobic  $DT_{50}$  445 – 1118 days; anaerobic  $DT_{50}$  561 days). It does not show hydrolytic degradation at pH of 4 – 9 but degrades rapidly under photolytic conditions ( $DT_{50}$  1.2 – 2.7 days).  $DT_{50}$  values in aquatic sediment water ranged from 32.9 – 44.9 days, but dissipation from the total system was very slow with corresponding  $DT_{50}$  values of 507 – 866 days.

Flonicamid has moderate persistence in water and in the total water-sediment system, with  $DT_{50}$  of 30-37 and 36-44 days respectively. Flonicamid exhibits very low to low persistence in various soils ( $DT_{50}$  in range of 0.7 – 1.8 days).

- **Bioaccumulative Potential** .: Not expected to be bioaccumulative. Maximum experimentally derived BCF = 103.
- **Mobility in Soil**..... Cyclaniliprole exhibits low to medium mobility in soil ( $K_{foc} = 247 - 1380 \text{ mL/g}$ ;  $K_{foc}$  arithmetic mean = 790 mL/g). Flonicamid exhibits high to very high mobility in soil ( $K_{dOC} = 2.5 - 8.7 \text{ mL/g}$ ;  $K_{dOC}$  arithmetic mean = 5.9 mL/g).



sub-

# **PRADIA**<sup>™</sup>

# EPA Registration Number: 71512-33-59807

### **13. DISPOSAL CONSIDERATIONS**

**Waste Disposal** .....: Pesticide wastes may be hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**Container Disposal** .....: DO NOT reuse or refill this container. Triple rinse container according to label directions. Then offer for recycling if available, or puncture and dispose of in a sanitary landfill, or by incineration or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

# **14. TRANSPORT INFORMATION**

**US DOT Classification**. . . . : CLASS 9. Not regulated when shipped in non-bulk packaging by highway or rail.

	Non-bulk (Ground Transport)	Bulk (Ground Transport)	
Proper Shipping Name:	Not regulated	Environmentally Hazardous Substance, Liquid, N.O.S. (Cyclaniliprole)	
Hazard Class:	Not regulated	Class 9	
Identification Number:	Not regulated	UN 3082	
Packing Group:	Not regulated	PG III	

### **Hazardous Substances**

Reportable Quantity ....: Not applicable.

## Special Provisions for

**Transport** .....: Class 9 placard not required for non-bulk packaging transported by highway or rail within the U.S. [49CFR 172.504(f)(9)].

	IATA (Air Transport)	IMDG (Ocean Transport)	
Proper Shipping Name:	Environmentally Hazard- ous Substance, Liquid, N.O.S. (Cyclaniliprole)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CYCLANILIPROLE)	
Hazard Class:	Class 9	CLASS 9	
Identification Number:	UN 3082	UN 3082 PG III	
Packing Group:	PG III		

### **15. REGULATORY INFORMATION**

U.S. Federal and State Regulations:

SARA 313 Inventory Ingredients	.:	Not Listed
SARA 312 Hazards		
Classification	. :	Not Listed

Listed as carcinogen by

IARC	Not Listed
NTP:	Not Listed
<b>OSHA</b> :	Not Listed
CA Prop 65	Not Listed
TSCA	Exempt from TSCA, ject to FIFRA.

**FIFRA** .....: This chemical is a pesticide product pending registration by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law (FIFRA). FIFRA requirements differ from the OSHA classification criteria and hazard information required for safety data sheets in Section 2 above, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required by FIFRA on the pesticide label:

### CAUTION

Harmful if swallowed. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. This product is highly toxic to bees and other pollinating insects exposed to direct treatment or to residues in/ on blooming crops or weeds. DO NOT apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. DO NOT contaminate waters when disposing of equipment washwater or rinsate. DO NOT apply when weather conditions favor drift from the treated areas. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas.

Canada (WHMIS) . . . . . . . : Exempt

#### EU (Directives 67/548/EEC, 1999/45/EC and

**2006/8/EC)**..... R51/53: Toxic to aquatic organisms; may cause long-term adverse effects in the aquatic environment.



# **PRADIA**<sup>™</sup>

# EPA Registration Number: 71512-33-59807

16.	OTHER INFORMATION		
	NFPA Hazard Ratings	0	Minimal
	Health: 1	1	Slight
	Flammability: 2	2	Moderate
	Instability: 0	3	Serious
		4	Extreme
	Notice to Reader		

All information contained in this Safety Data Sheet is furnished free of charge and is intended for your evaluation. In our opinion, the information as of the date of the Safety Data Sheet is reliable; however, it is your responsibility to determine the suitability of the information for your use. You are advised not to construe the information as absolutely complete since additional information may be necessary or desirable when particular, exceptional or variable conditions or circumstances exist or because of applicable laws or government regulations. Therefore, you should use this information only as a supplement to other information gathered by you; and you must make independent determinations of the suitability and completeness of the information from all sources to assure both proper use of the material described herein and the safety and health of employees. Accordingly, no guarantee expressed or implied is made by OHP, Inc. as to the results to be obtained based upon your use of the information, nor does OHP, Inc. assume any liability arising out of your use of the information.

#### Revision Date: January 28, 2019

Conforms to UN Globally Harmonized System and OSHA Hazard Communication Standard 29 CFR 1910.1200(g)

Pradia is a trademark of OHP, Inc. OHP986300 (01/28/19)