


<b>SAFETY DATA SHEET</b>	
<b>Multi-K Prills</b>	1 of 10

Complying with 1907/2006/EEC Regulation of 18 December 2006 ("REACH Regulation") and REGULATION (EC) No 1272/2008 (CLP)

**Section 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING**

**1.1 Product identifier**

**Product name:** Potassium Nitrate-Prills  
**Trade names:** Multi-K Prills  
**Synonyms:** Nitric acid, potassium salt; Nitrate of potash  
**Chemical formula:** KNO<sub>3</sub>  
**Fertilizer formula:** 13-0-46; 13.5-0-46.5; 13-0-45;  
**Product type:** Prills  
**CAS number:** 7757-79-1  
**EC number:** 231-818-8  
**REACH registration no(s):** 01-2119488224-35

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

**Use of the substance/preparation:** Fertilizer. Heat treatment salts (steel and rubber manufacture), oxidizing flux (metallurgy). Heat transfer salts, energy storage. Ceramics (tiles, glazes), glass (strengthening, cathodes ray tubes, liquid crystals).

**1.3 Details of the supplier of the safety data sheet**

**Company/undertaking identification**

**European Importer:**

Haifa Chemicals Northern Europe  
 Generaal de Wittelaan 17, bus 16,  
 B-2800 Mechelen, Belgium  
 Tel: +32-15-270811  
 Fax: +32-15 270815  
 E-mail: [NorthWestEurope@haifa-group.com](mailto:NorthWestEurope@haifa-group.com)

**United States Importer:**

Haifa North America, Inc.  
 307 Cranes Roost Blvd.,  
 Suite 2030 Altamonte Springs,  
 FL 32701, USA  
 Tel/Fax +1-(407) 862-6400,  
 Toll-free: +1-(800) 649-4944  
 E-mail: [NorthAmerica@haifa-group.com](mailto:NorthAmerica@haifa-group.com)


**Other Countries Importer:**

Haifa Chemicals Ltd.  
 P.O.Box 15011, Matam- Haifa,  
 31905, Israel  
 Tel: +972-74-7373737  
 Fax: +972-74-7373733  
 E-mail: [Regulatory@haifa-group.com](mailto:Regulatory@haifa-group.com)

**E-mail address of person responsible for this SDS:** [Regulatory@haifa-group.com](mailto:Regulatory@haifa-group.com)

**1.4 Emergency telephone number**

**Emergency telephone number (during hours of operation):** +972-74-7373737

<b>SAFETY DATA SHEET</b>	
<b>Multi-K Prills</b>	2 of 10

CHEMTREC (U.S.): 1-800-424-9300

**Section 2. HAZARDS IDENTIFICATION**

**2.1 Classification of the substance or mixture**

Classification in accordance to Regulation(EC) No. 1272/2008 (CLP/GHS)

Ingredient name	GHS Classification
Potassium nitrate	Ox. Sol. 3 H272

Classification according to Directive 67/548/EEC (DSD) or 1999/45/EC

Ingredient name	EU Classification
Potassium nitrate	O; R08

See section 16 for full text of the R phrases or H statements declared above.  
See section 11 for more detailed information on health effects and symptoms.

**2.2 Label elements**

Labeling in accordance with Regulation 1272/2008 (CLP)

Hazard pictograms



Signal word: Warning

Hazard statements:

H272: May intensify fire; oxidizer.

Precautionary Statements:

P220: Keep/Store away from clothing/combustible materials.

**2.3 Other hazard**

Substance meets the criteria for BBT according to Regulation (EC) No. 1907/2006, Annex XIII:


Not applicable

Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII:

Not applicable

Other hazard which do not result in classification:

Not applicable

<b>SAFETY DATA SHEET</b>	
<b>Multi-K Prills</b>	3 of 10

### Section 3. COMPOSITION/INFORMATION ON INGREDIENTS

**Substance/mixture:**

Product/ Ingredient name	Identifiers	%	EU Classification	GHS Classification
Potassium nitrate	CAS number: 7757-79-1 EC number: 231-818-8 REACH :01-2119488224-35	100	O; R08	Ox. Sol. 3 H272

**There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.**

**Occupational exposure limits, if available, are listed in section 8.**

### Section 4. FIRST AID MEASURES

#### **4.1 Description of first aid measures**

- Eyes contact:** In case of contact with eyes, rinse immediately with plenty of water. Get medical attention if irritation occurs.
- Skin contact:** Avoid prolonged or repeated contact with skin. After handling, always wash hands thoroughly with soap and water. Get medical attention if irritation develops.
- Inhalation:** Avoid breathing dust. If inhaled, remove to fresh air.
- Ingestion:** If large quantities of this material are swallowed, call a physician immediately. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person.

#### **4.2 Most important symptoms and effects, both acute and delayed**

##### **Potential acute health effects**

Inhalation: Not known significant effects or critical hazards.

Ingestion: Not known significant effects or critical hazards.

Skin contact: Not known significant effects or critical hazards.

Eyes contact: Irritating to eyes.


##### **Over-exposure sign/symptoms:**

Eyes contact: No special data

Inhalation: No special data

Ingestion: No special data

Skin contact: No special data

<b>SAFETY DATA SHEET</b>	
<b>Multi-K Prills</b>	4 of 10

#### **4.3 Indication of any immediate medical attention and special treatment needed**

**Notes to physician:** In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

**Special treatments:** No specific treatment

### **Section 5: Fire-Fighting Measures**

#### **5.1 Extinguishing media**

Suitable: Use an extinguishing agent suitable for surrounding fire.

Not suitable: N/A

#### **5.2 Special hazards arising from the substance or mixture**

Contact with combustible material may cause fire. This material increases the risk of fire and may aid combustion.

Hazardous thermal decomposition products: Potassium Nitrate, oxides of potassium and oxides of nitrogen

#### **5.3 Advice for firefighters**

**Special protective equipment for fire fighters:** Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

**Remark:** Move containers from fire area if possible to do so without risk.

### **Section 6: Accidental Release Measures**

#### **6.1 Personal precautions, protective equipment and emergency procedures**

Wear protective clothing. Ventilate area of spill.

#### **6.2 Environmental precautions**

Do not let this chemical enter the environment.

#### **6.3 Methods and materials for containment and cleaning up**

Small spill: Pick up and place in a suitable container for reclamation or disposal, using a method that does not generate dust. Do not mix with sawdust or other combustible material.

Large spill: As for small spill

**Personal Protection in Case of Large Spill:** Safety glasses. Full suit. Dust respirator. Boots. Gloves. A self-contained breathing apparatus should be used to avoid inhalation of the product.


#### **6.4 Reference to other sections**

See Sections 1 for emergency contact information

See Section 8 for information on appropriate personal protective equipment

See Section 13 for additional waste treatment information

### **Section 7: Handling and Storage**

<b>SAFETY DATA SHEET</b>	
<b>Multi-K Prills</b>	5 of 10

### **7.1 Precautions for safe handling**

**Handling:** Minimize dust generation and accumulation. Do not breathe dust. Avoid contact with skin and eyes. Wash thoroughly after handling. Do not permit eating/drinking/smoking near the material.

**Hygiene Measures:**

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also section 8 for additional information measures.

### **7.2 Conditions for safe storage, including any incompatibilities**

**Storage:** Keep containers tightly closed, in a dry, cool and well ventilated place.

Do not store together with acid, alkalis, reducing agents, organic materials and combustible materials.

Protect from moisture.

Use original container.

Keep away from heat

### **7.3 Specific end use(s):** N/A

## **Section 8: Exposure Control / Personal Protection**

### **8.1 Control parameters**

**Occupational exposure limit values:** N/A

**Derived effects levels:**

Recommended occupational and consumer exposure limit values (following from the preformed CSA):

Exposure pattern	Derived No Effect Level (DNEL)	
	Workers	General population
Oral	N/A	12.5 mg/kg bw/day
Dermal	20.8 mg/kg bw/day	12.5 mg/kg bw/day
Inhalation	36.7 mg/m <sup>3</sup>	10.9 mg/m <sup>3</sup>

### **8.2 Exposure controls**

**Engineering Measures**

Use process enclosures, local exhaust ventilation, or others engineering controls to keep airborne levels below recommend exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.

**Person Protective measures**


**Occupational exposure controls:**

Respiratory protection: Disposable particulate mask. Be sure to use an approved/certified or equivalent. Wear appropriate respirator when ventilation is inadequate.

Hand protection: Wear protective disposable vinyl gloves to prevent skin exposure.

Eye protection: Wear protective safety glasses.

Skin protection: Wear appropriate long-sleeved clothing to minimize skin contact.

<b>SAFETY DATA SHEET</b>	
<b>Multi-K Prills</b>	6 of 10

Hygiene measures: Keep away from foodstuffs and beverages. Do not eat, drink or smoke during work time. Remove soiled or soaked clothing immediately. Clean skin thoroughly after work; apply skin cream. During use, provide suitable ventilation.

**Environmental exposure controls:** Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

## Section 9: Physical and Chemical Properties

### **9.1 Information on basic physical and chemical properties**

Appearance: Solid (prills), white  
 Odour: Odorless  
 Odour threshold: Odorless  
 pH: 3 – 11 (Conc. (% w/w): 1) [Acidic to basic]  
 Melting point/Freezing point: 335°C  
 Initial boiling point/boiling range: Not applicable  
 Flash point: Not applicable  
 Evaporation rate: non-volatile (butyl acetate=1)  
 Flammability: Not flammable  
 Upper/lower flammability or explosive limits: N/A  
 Vapor pressure: <0.001 kPa (<0.01 mm Hg) at 20°C - Not Volatile  
 Vapor density: non-volatile  
 Relative Density: 2.11 g/cm<sup>3</sup>  
 Solubility(ies): Water solubility- 100 g/l at the temperature of 25°C  
 Partition coefficient Octanol/Water: The product is more soluble in water, log (octanol/water) <1  
 Auto-ignition temperature: The product cannot cause spontaneous ignition  
 Decomposition temperature: > 400°C  
 Viscosity: Non-viscous substance  
 Explosive properties: Not explosive  
 Oxidizing properties: Oxidizer

### **9.2 Other information:**

Molecular weight: 101.10  
 Miscibility: Soluble in water  
 VOC: Not an organic compound  
 Apparent (Bulk) Density: 0.9-1.2 g/cm<sup>3</sup>

## Section 10: Stability and Reactivity

### **10.1 Reactivity**

No specific test data related to reactivity available for this product or its ingredients

### **10.2 Chemical stability**


The product is stable under normal handling and storage conditions described in Section 7.

### **10.3 Possibility of hazardous reactions**

Under normal conditions of storage and use, hazardous reactions will not occur.

### **10.4 Conditions to avoid**

Dusting conditions, extreme humidity, and excess heat.

<b>SAFETY DATA SHEET</b>	
<b>Multi-K Prills</b>	7 of 10

**10.5 Incompatible materials**

Strong acids, strong alkalis, moisture, reducing agents and combustible materials

**10.6 Hazardous Decomposition products:**

Under fire- Potassium Nitrate ,oxides of nitrogen, oxides of potassium, irritant and toxic fumes.

**Section 11: Toxicological Information**

**11.1 Information on toxicological effects**

**Acute toxicity:**

Product/ingredient name	Test	Species	Dose
Potassium nitrate	LD50, Oral	Rat	2000 mg/kg
	LD50, Dermal	Rat	5000 mg/kg
	LC50, Inhalation	Rat	527 mg/m <sup>3</sup> air

**Irritation and Corrosivity:**

Inhalation: Not known significant effects or critical hazards.

Ingestion: Not known significant effects or critical hazards.

Skin contact: Not known significant effects or critical hazards.

Eyes contact: Irritating to eyes.

**Sensitization:** N/A

**Chronic toxicity:**

Carcinogenicity: This product does not contain any substances that are considered by IARC, NTP, OSHA, EU or ACGIH to be “probable” or “suspected” human carcinogens.

Mutagenicity: Not applicable.

Reproductive toxicity: Not applicable.

Specific target organ toxicity (single exposure): Not applicable.


Specific target organ toxicity (repeated exposure): Not applicable.

Aspiration hazard: Not applicable.

**Other effects**

Over exposure signs/symptoms: N/A

Target organs: May cause damage to mucous membranes.

<b>SAFETY DATA SHEET</b>	
<b>Multi-K Prills</b>	8 of 10

**Toxicokinetics (absorption, metabolism, distribution and elimination):**

Nitrate is reduced to nitrite by the enzyme nitrate reductase. After ingestion, nitrates are reduced to nitrites by bacteria in the lower intestine of the adult. However, in babies, which have a physiological gastric achlorhydria (lack of HCl in the stomach), the reduction occurs in the stomach and duodenum from which the nitrites are readily absorbed into the blood stream. Furthermore, methemoglobin-reductase (NADHcytochrome b5 reductase) in infants has not yet reached full activity. After absorption, nitrites convert oxyhemoglobin into methemoglobin and thus interfere with oxygen transport in the blood, resulting in methemoglobineamia (“blue baby syndrome”). Nitrites can also cause vasodilation, which, like methemoglobineamia, is dose-related.

Based on low MW, high water solubility, assumed low logPow high absorption is expected. However, the ion formation of the substance immediately when in contact with a fluid decreases the absorption. Therefore, 50% absorption is taken for oral, dermal and inhalation exposure.

**Section 12: Ecological Information**

**12.1 Toxicity**

Substance name	Toxicity to fish	Toxicity to crustaceans	Toxicity to algae	Toxicity to other aquatic plants	Other toxicity data (birds, bees, plants etc.)
Potassium nitrate	LC50/96h, fish: 1378 mg/L potassium nitrate	LC50/EC50/48h, daphnia: 490mg/L	EC50/LC50: 1700 mg/L (NOEC)	-	-

**Predicted effect concentrations**

Product/ Ingredient name	Type	Compartment Detail	Value	Method Detail
Potassium nitrate	PNEC	Fresh water	0.45 mg/l	Assessment Factors
	PNEC	Marine	0.045 mg/l	Assessment Factors


**12.2 Persistence and Degradability**

In principle only abiotic degradation processes are relevant for the substance. In aqueous solutions, the substance will dissociate into potassium and nitrate ions. Under anoxic conditions, denitrification occurs and nitrate is ultimately converted into molecular nitrogen as part of Nitrogen cycle.

**12.3 Bioaccumulative potential**

Substance name	LogPow	BCF	Potential
Potassium nitrate	<1	-	Not expected to bioaccumulate



<b>SAFETY DATA SHEET</b>	
<b>Multi-K Prills</b>	9 of 10

**12.4 Mobility in soil**

Soil/water partition coefficient (Koc) : Nitrates has a low potential for adsorption. Portion not taken up by plants, can leach to groundwater.

**Mobility:** N/A

**12.5 Results of PBT and vPvB assessment**

Not applicable

**12.6 Other adverse effects**

Substances which have an unfavorable influence on the oxygen balance and can be measured using parameters such as BOD, COD, etc.: Absent

Substances, which contribute to eutrophication: Nitrates

**Section 13: Disposal Considerations**

**13.1 Waste treatment methods**

**Provisions relating to waste:** Directive 2008/98/EC on waste, of 19 November, 2008: Depending on branch of industry and production process, also other EURAL codes may be applicable  
06 03 14: solid salts and solutions other than those mentioned in 06 03 11 and 06 03 13

**Product**

**Methods of disposal:** Waste must be disposed of in accordance with federal, state and local environmental control regulations.

**Hazardous waste:** N/A

**Packing**

Empty containers should be taken for local recycling, recovery or waste disposal.


**Section 14: Transport Information**

**International transport regulations**

Regulatory Information	14.1 UN number	14.2 Proper shipping name	14.3 Classes	14.4 Packing group	14.5 Environmental hazard	14.6 Special precautions for user	Additional information
ADR/RID Class	1486	Potassium nitrate	5.1	III	EAC: 1Z	-	
ADNR Class	1486	Potassium nitrate	5.1	III		-	
IMDG class	1486	Potassium nitrate	5.1 Group B	III	EMS: F-A, S-Q	-	
IATA class	1486	Potassium nitrate	5.1	III		-	

**14.7 Transport to bulk according to Annex II of MARPOL 79/78 and the IBC Code**

Not applicable

<b>SAFETY DATA SHEET</b>	
<b>Multi-K Prills</b>	10 of 10

### **Section 15: Regulatory Information**

#### **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

EU Directives 67/548/EEC and 1999/45/EC (including amendments) and take into account the intended product use

EU Regulation(EC) No.1907/2006 (REACH), No 1272/2008 (CLP)

#### **15.2 Chemical safety assessment**

In accordance with REACH article 14, a Chemical Safety Assessment has been carried out for this substance.

### **Section 16: Other Information**

#### **Full text of R-phrases referred to in sections 2 and 3:**

R08: Contact with combustible material may cause fire.

#### **Safety phrases:**

S17: Keep away from combustible material.

#### **Full text of Hazards Statements referred to in sections 2 and 3:**

Not Classified

#### **Precautionary Statements**

Not Classified

**Training advice:** Before using/handling the product one must read carefully present MSDS.

**Recommended restriction:** N/A

#### Key Legend Information:

ACGIH- American Conference of Governmental Industrial Hygienists

OSHA- Occupational Safety and Health Administration

NTP- National Toxicology program

IARC- International Agency for Research on Cancer

ND- Not Determined

N/A- Not available

R-phrases- Risk phrases

S-phrases- Safety phrases

Date of issue: 7<sup>th</sup> November 2013

Version no. 1

To the best of our knowledge the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.