

## FUSILADE® II TURF AND ORNAMENTAL Herbicide

Date: 6/9/2015

Replaces: 10/17/2014

### 1. PRODUCT IDENTIFICATION

Product identifier on label: **FUSILADE® II TURF AND ORNAMENTAL Herbicide**

Product No.: A12460A

Use: Herbicide

Manufacturer: Syngenta Crop Protection, LLC  
Post Office Box 18300  
Greensboro NC 27419

Manufacturer Phone: 1-800-334-9481

**Emergency Phone: 1-800-888-8372**

### 2. HAZARDS IDENTIFICATION

Classifications: Skin Corrosion/Irritation: Category 2  
Skin Sensitizer: Category 1B  
Reproductive Toxicity: Category 2  
Specific Target Organ Toxicity: Repeated Category 2  
Aspiration Hazard: Category 1  
Carcinogenicity: Category 1B  
Inhalation: Category 2

Signal Word (OSHA): Danger

Hazard Statements: May be fatal if swallowed and enters airways  
Causes skin irritation  
May cause an allergic skin reaction  
Fatal if inhaled  
May cause cancer  
Suspected of damaging fertility or the unborn child  
May cause damage to organs through prolonged or repeated exposure

Hazard Symbols:



Precautionary Statements: Obtain special instructions before use.  
Do not handle until all safety precautions have been read and understood.  
Do not breathe mist, vapors, spray.  
Wash hands and face thoroughly after handling.  
Use only outdoors or in a well-ventilated area.

# FUSILADE® II TURF AND ORNAMENTAL Herbicide

Date: 6/9/2015  
Replaces: 10/17/2014

Contaminated work clothing must not be allowed out of the workplace.  
Wear protective gloves, protective clothing, eye protection.  
In case of inadequate ventilation wear respiratory protection. See Section 8 Exposure Control/Personal Protection.  
If inhaled: Remove person to fresh air and keep comfortable for breathing.  
If swallowed: Immediately call a poison center, doctor or Syngenta.  
If on skin: Wash with plenty of soap and water.  
If skin irritation occurs: Get medical advice.  
If skin irritation or rash occurs: Get medical advice.  
If exposed or concerned: Get medical advice/attention.  
Immediately call a poison center, doctor or Syngenta.  
Get medical advice if you feel unwell.  
Specific treatment is urgent (see Section 4 First Aid Measures).  
See Section 4 First Aid Measures.  
Do NOT induce vomiting.  
Take off contaminated clothing and wash it before reuse.  
Wash contaminated clothing before reuse.  
Store locked up.  
Dispose of contents and container in accordance with local regulations.

Other Hazard Statements: None

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	Common Name	CAS Number	Concentration
Naphthalene	Naphthalene	91-20-3	Trade Secret
Petroleum Solvent	Petroleum Solvent	64742-94-5	Trade Secret
Petroleum distillates, light paraffinic	Petroleum distillates, light paraffinic	64741-89-5	Trade Secret
Other ingredients	Other ingredients	Trade Secret	75.5%
Butyl(RS)-2-[4-[[5-(trifluoromethyl)-2-pyridinyl]oxy]phenoxy]propanoate	Fluazifop-P-Butyl	79241-46-6	24.5%

Ingredients not precisely identified are proprietary or non-hazardous. Values are not product specifications.

### 4. FIRST AID MEASURES

Have the product container, label or Safety Data Sheet with you when calling Syngenta (800-888-8372), a poison control center or doctor, or going for treatment.

**Ingestion:** If swallowed: Call Syngenta (800-888-8372), a poison control center or doctor immediately for treatment advice. Do not give any liquid to the person. Do not induce vomiting unless told to do so after calling 800-888-8372 or by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

**Eye Contact:** If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing eye. Call Syngenta (800-888-8372), a poison control center or doctor for treatment advice.

**Skin Contact:** If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20

## FUSILADE® II TURF AND ORNAMENTAL Herbicide

Date: 6/9/2015

Replaces: 10/17/2014

minutes. Call Syngenta (800-888-8372), a poison control center or doctor for treatment advice.

Inhalation: If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call Syngenta (800-888-8372), a poison control center or doctor for further treatment advice.

### Most important symptoms/effects:

Skin irritation

Allergic skin reaction

### Indication of immediate medical attention and special treatment needed:

There is no specific antidote if this product is ingested.

Treat symptomatically.

Persons suffering a temporary allergic reaction may respond to treatment with antihistamines or steroid creams and/or systemic steroids.

Contains petroleum distillate - vomiting may cause aspiration pneumonia.

## 5. FIRE FIGHTING MEASURES

Suitable (and unsuitable) extinguishing media:

Use dry chemical, foam or CO2 extinguishing media. If water is used to fight fire, dike and collect runoff.

Specific Hazards:

During a fire, irritating and possibly toxic gases may be generated by thermal decomposition or combustion.

Special protective equipment and precautions for firefighters:

Wear full protective clothing and self-contained breathing apparatus. Evacuate nonessential personnel from the area to prevent human exposure to fire, smoke, fumes or products of combustion.

## 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment, and emergency procedures:

Follow exposure controls/personal protection outlined in Section 8.

Methods and materials for containment and cleaning up:

Control the spill at its source. Contain the spill to prevent from spreading or contaminating soil or from entering sewage and drainage systems or any body of water. Clean up spills immediately, observing precautions in Protective Equipment Section. Cover entire spill with absorbing material and place into compatible disposal container. Scrub area with hard water detergent (e.g. commercial products such as Tide, Joy, Spic and Span). Pick up wash liquid with additional absorbent and place into compatible disposal container. Once all material is cleaned up and placed in a disposal container, seal container and arrange for disposition.

## 7. HANDLING AND STORAGE

Precautions for safe handling:

Store the material in a well-ventilated, secure area out of reach of children and domestic animals. Do not store food, beverages or tobacco products in the storage area. Prevent eating, drinking, tobacco use, and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.

Conditions for safe storage, including any incompatibilities:

Store locked up.

# FUSILADE® II TURF AND ORNAMENTAL Herbicide

Date: 6/9/2015

Replaces: 10/17/2014

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THIS PRODUCT.**

**FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.**

### Occupational Exposure Limits:

Chemical Name	OSHA PEL	ACGIH TLV	Other	Source
Naphthalene	10 ppm TWA	10 ppm TWA (skin)	10 ppm TWA	NIOSH
Petroleum Solvent	Not Established	Not Established	100 mg/m <sup>3</sup> (15-17 ppm) TWA	Manufacturer
Petroleum distillates, light paraffinic	Not Established	Not Established	Not Established	Not Applicable
Other ingredients	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Fluazifop-P-Butyl	Not Established	Not Established	0.5 mg/m <sup>3</sup> TWA	Syngenta

### Appropriate engineering controls:

Use effective engineering controls to comply with occupational exposure limits (if applicable).

### Individual protection measures:

#### Ingestion:

Prevent eating, drinking, tobacco usage and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.

#### Eye Contact:

Where eye contact is likely, use chemical splash goggles.

#### Skin Contact:

Where contact is likely, wear chemical-resistant gloves (such as barrier laminate, nitrile rubber, neoprene rubber or Viton), coveralls, socks and chemical-resistant footwear.

#### Inhalation:

A combination particulate/organic vapor respirator should be used until effective engineering controls are installed to comply with occupational exposure limits, or until exposure limits are established. Use a NIOSH approved respirator with an organic vapor (OV) cartridge or canister with any R, P or HE filter.

Use a self-contained breathing apparatus in cases of emergency spills, when exposure levels are unknown, or under any circumstances where air-purifying respirators may not provide adequate protection.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Dark brown liquid, free of sediment

Odor: Aromatic

Odor Threshold: Not Available

pH: 6.2 (1% w/w dilution in deionized water)

Melting point/freezing point: Not Applicable

Initial boiling point and boiling range: Not Available

Flash Point (Test Method): > 212°F (TCC)

Flammable Limits (% in Air): Not Available

**FUSILADE® II TURF AND ORNAMENTAL Herbicide**

Date: 6/9/2015  
 Replaces: 10/17/2014

Flammability: Not Applicable  
 Vapor Pressure: Fluazifop-P-Butyl 4.5 x 10<sup>-7</sup> mmHg @ 68°F (20°C)  
 Vapor Density: Not Available  
 Relative Density: 0.9807 g/ml @ 68°F (20°C)  
 Solubility (ies): Fluazifop-P-Butyl Almost insoluble in water (1 mg/l @ pH 5 - 6.5)  
 Partition coefficient: n-octanol/water: Not Available  
 Autoignition Temperature: Not Available  
 Decomposition Temperature: Not Available  
 Viscosity: Not Available  
 Other: None

**10. STABILITY AND REACTIVITY**

Reactivity: Not reactive.  
 Chemical stability: Stable under normal use and storage conditions.  
 Possibility of hazardous reactions: Will not occur.  
 Conditions to Avoid: None known.  
 Incompatible materials: None known.  
 Hazardous Decomposition Products: None known.

**11. TOXICOLOGICAL INFORMATION**

Health effects information

Likely routes of exposure: Dermal, Inhalation

Symptoms of exposure: Skin irritation

Delayed, immediate and chronic effects of exposure: Possible carcinogenicity, Skin irritation, Allergic skin reaction

Numerical measures of toxicity (acute toxicity/irritation studies (finished product))

Ingestion:	Oral (LD50 Rat) :	> 5000 mg/kg body weight
Dermal:	Dermal (LD50 Rabbit) :	> 2000 mg/kg body weight
Inhalation:	Inhalation (LC50 Animal Not Available) :	0.54 mg/l air - 4 hours
Eye Contact:	Slightly Irritating (Rabbit)	
Skin Contact:	Moderately Irritating (Rabbit)	
Skin Sensitization:	See "Other Toxicity Information", Sec. 11	

## FUSILADE® II TURF AND ORNAMENTAL Herbicide

Date: 6/9/2015  
 Replaces: 10/17/2014

### Reproductive/Developmental Effects

Fluazifop-P-Butyl : Embryo/foetoxic effects have been reported in rats. Did not show teratogenic effects in animal experiments.

### Chronic/Subchronic Toxicity Studies

Fluazifop-P-Butyl : Effects on red cells, bone marrow, liver and spleen observed in long-term high dose feeding tests in dogs. No adverse health effects are expected in humans at airborne levels below the occupational exposure limit.

### Carcinogenicity

Fluazifop-P-Butyl : Did not show mutagenic effects in animal experiments. Did not show carcinogenic effects in animal experiments.

Chemical Name	NTP/IARC/OSHA Carcinogen
Naphthalene	See "Toxicity", Sec. 11
Petroleum Solvent	No
Petroleum distillates, light paraffinic	No
Other ingredients	No
Butyl(RS)-2-[4-[[5-(trifluoromethyl)-2-pyridinyl]oxy]phenoxy]propanoate	No

### Other Toxicity Information

Repeated and/or prolonged contact may cause skin sensitization.

### Toxicity of Other Components

#### Naphthalene

Exposure to naphthalene can cause cataracts, liver damage, kidney failure, respiratory failure, hematuria, anemia, damage to red blood cells, leukocytosis, or coma.

#### Carcinogen Status:

NTP: Anticipated Carcinogen

IARC: Group 2B Possible Human Carcinogen

#### Other ingredients

Not Applicable

#### Petroleum Solvent

May cause irritation to the eyes, skin and respiratory system. Excessive inhalation causes headache, dizziness, nausea and loss of motor skills.

#### Petroleum distillates, light paraffinic

May cause respiratory tract irritation. Harmful if swallowed. Pulmonary aspiration hazard.

### Target Organs

#### Active Ingredients

Fluazifop-P-Butyl : Blood, bone marrow, liver, spleen

#### Inert Ingredients

Naphthalene: Eye, liver, kidney, respiratory tract, blood, CNS

Other ingredients: Not Applicable

Petroleum Solvent: Eye, skin, respiratory system, central nervous system

Petroleum distillates, light paraffinic: Respiratory tract

## FUSILADE® II TURF AND ORNAMENTAL Herbicide

Date: 6/9/2015

Replaces: 10/17/2014

---

### 12. ECOLOGICAL INFORMATION

#### Eco-Acute Toxicity

##### Fluazifop-P-Butyl :

Invertebrate (Water Flea) Daphnia Magna 48-hour EC50 6.02 ppm

Green Algae 4-day EC50 > 1.8 ppm

Bird (Mallard Duck) 14-day LD50 > 3528 mg/kg

#### Environmental Fate

##### Fluazifop-P-Butyl :

The information presented here is for the active ingredient, fluazifop-p-butyl.  
Not persistent in soil or water.

---

### 13. DISPOSAL CONSIDERATIONS

#### Disposal:

Do not reuse product containers. Dispose of product containers, waste containers, and residues according to local, state, and federal health and environmental regulations.

Characteristic Waste: Not Applicable

Listed Waste: Not Applicable

---

### 14. TRANSPORT INFORMATION

#### DOT Classification

Ground Transport - NAFTA

< 300 gallons: Not regulated

> 300 gallons:

Proper Shipping Name: Other Regulated Substances, Liquid, N.O.S. (RQ - Naphthalene)

Hazard Class: Class 9

Identification Number: NA 3082

Packing Group: PG III

#### Comments

Water Transport - International

Proper Shipping Name: Environmentally Hazardous Substance, Liquid, N.O.S. (Fluazifop), Marine Pollutant

Hazard Class: Class 9

Identification Number: UN 3082

Packing Group: PG III

Air Transport

Proper Shipping Name: Environmentally Hazardous Substance, Liquid, N.O.S. (Fluazifop)

Hazard Class: Class 9

Identification Number: UN 3082

Packing Group: PG III

**FUSILADE® II TURF AND ORNAMENTAL Herbicide**

Date: 6/9/2015  
 Replaces: 10/17/2014

**15. REGULATORY INFORMATION**

**Pesticide Registration:**

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

Caution: Harmful if absorbed through skin or inhaled. Causes eye irritation. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Avoid contact with skin, eyes or clothing. Avoid breathing vapor or spray mist.

EPA Registration Number(s):  
 100-1084

**EPCRA SARA Title III Classification:**

Section 311/312 Hazard Classes: Acute Health Hazard  
 Chronic Health Hazard

Section 313 Toxic Chemicals: Naphthalene Trade Secret (CAS No. 91-20-3)

**California Proposition 65:**

This product contains a chemical(s) known to the state of California to cause cancer and birth defects or other reproductive harm.

**CERCLA/SARA 304 Reportable Quantity (RQ):**

Report product spills > 305 gal. (based on naphthalene [RQ = 100 lbs.] content in the formulation)

**RCRA Hazardous Waste Classification (40 CFR 261):**

Not Applicable

**TSCA Status:**

Exempt from TSCA, subject to FIFRA

**16. OTHER INFORMATION**

NFPA Hazard Ratings

Health: 2  
 Flammability: 1  
 Instability: 0

HMIS Hazard Ratings

Health: 2  
 Flammability: 1  
 Reactivity: 0

0	Minimal
1	Slight
2	Moderate
3	Serious
4	Extreme
*	Chronic

Syngenta Hazard Category: C,S

For non-emergency questions about this product call:

1-800-334-9481

Original Issued Date: 11/25/1998

Revision Date: 6/9/2015

Replaces: 10/17/2014

Section(s) Revised: 2, 4, 11

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein.