

SDS

# GHS Safety Data Sheet PROFILE Products, LLC

#### **PrimeraOne Field Conditioner**

MSDS Number: BLM038 Revision Date: 7/24/2014

Page 1 of 6

#### PRODUCT AND COMPANY IDENTIFICATION

#### **Manufacturer**

PROFILE Products, LLC 750 LAKE COOK ROAD SUITE 440 BUFFALO GROVE, IL 60089

Phone: (847) 215-1144
Fax: (847) 215-0577
Email: profileproducts.com
Web: www.profileproducts.com

Product Name: PrimeraOne Field Conditioner

 Revision Date:
 7/24/2014

 MSDS Number:
 BLM038

 Common Name:
 N.A.

 CAS Number:
 70892-59-0

Description: Calcined, non-swelling illite and non-crystalline opal CT mineral.

#### 2 HAZARDS IDENTIFICATION

Inhalation: Lungs

**Skin Contact:** Wash with soap and water until clean

Eye Contact: Wash out with water Ingestion: No adverse effect

NFPA: Health = 1, Fire = 0, Reactivity = 0







#### PrimeraOne Field Conditioner

MSDS Number: BLM038 Revision Date: 7/24/2014

Page 2 of 6

GHS Signal Word: DANGER

#### GHS Hazard Pictograms:





#### **GHS Classifications:**

Health, Specific target organ toxicity - Single exposure, 3

Health, Carcinogenicity, 1

Health, Specific target organ toxicity - Repeated exposure, 1

#### **GHS Phrases:**

H335 - May cause respiratory irritation

H350 - May cause cancer

H372 - Causes damage to organs through prolonged or repeated exposure

#### **GHS** Precautionary Statements:

P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood.

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

Crystalline Silica (Quartz) [EPA Hazard Category: Health]

Carcinogen: OSHA - No NTP - Yes (respirable) IARC - Yes

This product contains up to 5% crystalline silica. The International Agency for Research on Cancer (IARC) has stated that there is sufficient evidence of carcinogenicity of crystalline silica to human beings. It was noted that carcinogenicity was not detected in all industrial circumstances studied. The NTP's Sixth Annual Report on Carcinogens include respirable crystalline silica. The Hazard Communication Standard (29CFR 1910.1200) requires that any material containing over 0.1% of a substance reported as a carcinogen in an IARC monograph or the most recent NTP Annual Report on Carcinogens must be identified as a carcinogen. These identifications are for hazard communications only and do not serve as assessments of carcinogenic risk. Crystalline silica is known to cause silicosis. At dust levels below the recommended PEL exposure to the crystalline silica contained in this product should not present a health hazard.

#### **COMPOSITION/INFORMATION ON INGREDIENTS**

#### Ingredients:

Cas #	Perc.	Chemical	Name
14808607	3-5%	Silica,	crystalline quartz





#### **PrimeraOne Field Conditioner**

MSDS Number: BLM038 Revision Date: 7/24/2014

Page 3 of 6

4 FIRST AID MEASURES

**Inhalation:** Move to fresh air.

**Skin Contact:** Wash throughly with soap and water.

**Eye Contact:** Flush thoroughly with water. See a physician if discomfort persists. **Ingestion:** None. If large quantities are ingested consult your physician.

5 FIRE FIGHTING MEASURES

Non-flammable and non-hazardous

ACCIDENTAL RELEASE MEASURES

Steps to be taken in case material is released or spilled: If uncontaminated, sweep up or collect, and reuse as product. If contaminated with other materials, collect in suitable containers.

HANDLING AND STORAGE

Handling Precautions: Steps to be taken in case material is released or spilled: If uncontaminated, sweep up or collect, and

reuse as product. If contaminated with other materials, collect in suitable containers.

**Storage Requirements:** Do not store near vegetable oil or turpentine.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Personal Protective Equip: Respiratory Protection: If dust concentrations exceed recommended Permissible Exposure Limits, use

NIOSH- approved dust respirators, with approval TC-21C-xxx, until feasible engineering controls are

completed.

Ventilation: Local exhaust or other ventilation that will reduce dust concentrations to less than

Permissible Exposure Limits is recommended.

Eye Protection: If high dust concentrations exist, tight-fitting goggles are recommended to reduce dust

exposure to the eyes.

Other Protective Equipment: Optional.





#### **PrimeraOne Field Conditioner**

MSDS Number: BLM038 Revision Date: 7/24/2014

Page 4 of 6

#### PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Brown to buff-colored granular particles

**Odor Threshold:** Negligible Odor: Negligible **Particle Size:** -5 mesh **Molecular Formula:** Negligilbe Spec Grav./Density: N.A. Solubility: Negligible **Boiling Point:** N.A. **Heat Value:** N.A. Flammability: N.A. Freezing/Melting Pt.: N.A. **Partition Coefficient:** N.A. Flash Point: N.A. **Vapor Pressure:** Octanol: N.A. N.A. Vapor Density: N.A. pH: 6.8 VOC: Evap. Rate: N.A. N.A.

Molecular weight: N.A. Bulk Density: 36 lbs/cubic ft.

Decomp Temp: N.A. Auto-Ignition Temp: N.A. UFL/LFL: N.A.

#### 10 STABILITY AND REACTIVITY

**Stability:** Turface is stable under all normal conditions.

Conditions to Avoid: Strong Oxiders

Materials to Avoid: Unreacted polymer monomers

Hazardous Decomposition: None Known

Hazardous Polymerization: Will not occur. However, contact with vegetable oil or turpentine may cause evolution of heat.

#### 11 TOXICOLOGICAL INFORMATION

Inhalation- N.E.

Intravenous- Rat - LD50:15mg/kg Oral - Rat - LD50:3160 mg/kg

#### **ECOLOGICAL INFORMATION**

Natural occuring mineral- none determined

Teratogenicity- ND

Mutagenicity- ND

Reproductive toxicity- ND





#### **PrimeraOne Field Conditioner**

MSDS Number: BLM038 Revision Date: 7/24/2014

Page 5 of 6

13

#### **DISPOSAL CONSIDERATIONS**

Can be disposed of in an approved disposal facility, in accordance with applicable federal, state, and local regulations. The nature and extent of contamination, if any, may require use of specialized disposal methods.

14

#### TRANSPORT INFORMATION

DOT Class: Not regulated #

Ground Clay contains crystalline silica in solid form

WHMIS Classification D2A

WHMIS Label on each package

Not TDG regulated

15

#### **REGULATORY INFORMATION**

COMPONENT / (CAS/PERC) / CODES

\_\_\_\_\_\_

\*Silica, crystalline quartz (14808607 3-5%) MASS, NRC, OSHAWAC, PA, TSCA, TXAIR

#### REGULATORY KEY DESCRIPTIONS

\_\_\_\_\_

MASS = MA Massachusetts Hazardous Substances List
NRC = Nationally Recognized Carcinogens
OSHAWAC = OSHA Workplace Air Contaminants
PA = PA Right-To-Know List of Hazardous Substances
TXAIR = TX Air Contaminants with Health Effects Screening Level

TSCA = Toxic Substances Control Act





#### **PrimeraOne Field Conditioner**

MSDS Number: BLM038 Revision Date: 7/24/2014

Page 6 of 6

16

#### **OTHER INFORMATION**

This product has been classified according to the hazard criteria of the CPR and the SDS contains all the information required by the CPR.